

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Clayman, Gary L.
- (ii) TITLE OF INVENTION: Methods and Compositions for the
Diagnosis and Treatment of Cancer
- (iii) NUMBER OF SEQUENCES: 14
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Arnold, White & Durkee
 - (B) STREET: P.O. Box 4433
 - (C) CITY: Houston
 - (D) STATE: TX
 - (E) COUNTRY: USA
 - (F) ZIP: 77057-4433
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/758,033
 - (B) FILING DATE: 27-NOV-1996
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Highlander, Steven L.
 - (B) REGISTRATION NUMBER: 37,642
 - (C) REFERENCE/DOCKET NUMBER: INGN:041
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (512) 418-3000
 - (B) TELEFAX: (713) 789-2679

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2066 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CAAAACCTAC CAGGGCAGCT ACGGTTTCCG TCTGGGCTTC TTGCATTCTG GGACAGCCAA	60
GTCTGTGACT TGCACGTACT CCCCTGCCCT CAACAAGATG TTTTGCCAAC TGGCCAAGAC	120
CTGCCCTGTG CAGCTGTGGG TTGATTCCAC ACCCCCCGCC GGCACCCGCG TCCGCGCCAT	180
GGCCATCTAC AAGCAGTCAC AGCACATGAC GGAGGTTGTG AGGCGCTGCC CCCACCATGA	240
GCGCTGCTCA GATAGCGATG GTCTGGCCCC TCCTCAGCAT CTTATCCGAG TGAAGGAAA	300

TTTGCGTGTG GAGTATTTGG ATGACAGAAA CACTTTTTCGA CATAGTGTGG TGGTGCCCTA	360
TGAGCCGCCT GAGGTTGGCT CTGACTGTAC CACCATCCAC TACAAC TACA TGTGTAACAG	420
TTCTTGCATG GCGGGCATGA ACCGGAGGCC CATCCTCACC ATCATCACAC TGGAAGACTC	480
CAGTGGTAAT CTACTGGGAC GGAACAGCTT TGAGGTGCGT GTTTGTGCCT GTCCTGGGAG	540
AGACCGGCGC ACAGAGGAAG AGAATCTCCG CAAGAAAGGG GAGCCTCACC ACGAGCTGCC	600
CCCAGGGAGC ACTAAGCGAG CACTGCCCCA CAACACCAGC TCCTCTCCCC AGCCAAAGAA	660
GAAACCACTG GATGGAGAAT ATTTCAACCCT TCAGATCCGT GGGCGTGAGC GCTTCGAGAT	720
GTTCCGAGAG CTGAATGAGG CCTTGGAAC TCAAGGATGCC CAGGCTGGGA AGGAGCCAGG	780
GGGGAGCAGG GCTCACTCCA GCCACCTGAA GTCCAAAAAG GGTCAGTCTA CCTCCCGCCA	840
TAAAAAACTC ATGTTCAAGA CAGAAGGGCC TGA CTCAGAC TGACATTCTC CACTTCTTGT	900
TCCCCACTGA CAGCCTCCCA CCCCCATCTC TCCCTCCCCT GCGATTTTGG GTTTTGGGTC	960
TTTGAACCCT TGCTTGCAAT AGGTGTGCGT CAGAAGCACC CAGGACTTCC ATTTGCTTTG	1020
TCCCGGGGCT CCACTGAACA AGTTGGCCTG CACTGGTGTT TTGTTGTGGG GAGGAGGATG	1080
GGGAGTAGGA CATAACAGCT TAGATTTTAA GGT TTTTACT GTGAGGGATG TTTGGGAGAT	1140
GTAAGAAATG TTCTTGCAGT TAAGGGTTAG TTTACAATCA GCCACATTCT AGGTAGGGGC	1200
CCACTTCACC GTACTAACCA GGGAAGCTGT CCCTCACTGT TGAATTTTCT CTAAC TTCAA	1260
GGCCCATATC TGTGAAATGC TGGCATTTC ACCTACCTCA CAGAGTGCAT TGTGAGGGTT	1320
AATGAAATAA TGTACATCTG GCCTTGAAAC CACCTTTTAT TACATGGGGT CTAGAACTTG	1380
ACCCCTTGA GGGTGCTTGT TCCCTCTCCC TGTGGTTCGG TGGGTTGGTA GTTTCTACAG	1440
TTGGGCAGCT GGTAGGTAG AGGGAGTTGT CAAGTCTCTG CTGGCCCAGC CAAACCCTGT	1500
CTGACAACCT CTTGGTGAAC CTTAGATCCT AAAAGGAAAT GTCACCCCAT CCCACACCCT	1560
GGAGGATTC ATCTCTTGTA TAGATGATCT GGATCCACCA AGACTTGTTT TAGCTCAGGG	1620
TCCAATTTCT TTTTCTTTT TTTTTTTTTT TTTCTTTTTC TTTGAGACTG GGTCTCTTTG	1680
TTGCCCCAGG CTGGAGTGGA GTGGCGTGAT CTGGCTTACT GCAGCCTTTG CCTCCCCGGC	1740
TCGAGCAGTC CTGCCTCAGC CTCCGGAGTA GCTGGGACCA CAGGTTTCATG CCACCATGGC	1800
CAGCCAACTT TTGCATGTTT TG TAGAGATG GGGTCTCACA GTGTTGCCCA GGCTGGTCTC	1860
AAACTCCTGG GCTCAGGCGA TCCACCTGTC TCAGCCTCCC AGAGTGCTGG GATTACAATT	1920
GTGAGCCACC ACGTCCAGCT GGAAGGGTCA ACATCTTTTA CATTCTGCAA GCACATCTGC	1980
ATTTTCACCC CACCCTTCCC CTCTTCTCCC TTTTATATC CCATTTTAT ATCGATCTCT	2040
TATTTTACAA TAAACTTTG CTGCCA	2066

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 293 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Lys	Thr	Tyr	Gln	Gly	Ser	Tyr	Gly	Phe	Arg	Leu	Gly	Phe	Leu	His	Ser	
1				5				10						15		
Gly	Thr	Ala	Lys	Ser	Val	Thr	Cys	Thr	Tyr	Ser	Pro	Ala	Leu	Asn	Lys	
			20				25						30			
Met	Phe	Cys	Gln	Leu	Ala	Lys	Thr	Cys	Pro	Val	Gln	Leu	Trp	Val	Asp	
		35					40					45				
Ser	Thr	Pro	Pro	Pro	Gly	Thr	Arg	Val	Arg	Ala	Met	Ala	Ile	Tyr	Lys	
	50					55					60					
Gln	Ser	Gln	His	Met	Thr	Glu	Val	Val	Arg	Arg	Cys	Pro	His	His	Glu	
65					70					75					80	
Arg	Cys	Ser	Asp	Ser	Asp	Gly	Leu	Ala	Pro	Pro	Gln	His	Leu	Ile	Arg	
				85					90					95		
Val	Glu	Gly	Asn	Leu	Arg	Val	Glu	Tyr	Leu	Asp	Asp	Arg	Asn	Thr	Phe	
			100					105					110			
Arg	His	Ser	Val	Val	Val	Pro	Tyr	Glu	Pro	Pro	Glu	Val	Gly	Ser	Asp	
		115					120					125				
Cys	Thr	Thr	Ile	His	Tyr	Asn	Tyr	Met	Cys	Asn	Ser	Ser	Cys	Met	Gly	
	130					135					140					
Gly	Met	Asn	Arg	Arg	Pro	Ile	Leu	Thr	Ile	Ile	Thr	Leu	Glu	Asp	Ser	
145					150					155					160	
Ser	Gly	Asn	Leu	Leu	Gly	Arg	Asn	Ser	Phe	Glu	Val	Arg	Val	Cys	Ala	
			165						170					175		
Cys	Pro	Gly	Arg	Asp	Arg	Arg	Thr	Glu	Glu	Glu	Asn	Leu	Arg	Lys	Lys	
			180					185					190			
Gly	Glu	Pro	His	His	Glu	Leu	Pro	Pro	Gly	Ser	Thr	Lys	Arg	Ala	Leu	
		195					200					205				
Pro	Asn	Asn	Thr	Ser	Ser	Ser	Pro	Gln	Pro	Lys	Lys	Lys	Pro	Leu	Asp	
	210					215						220				
Gly	Glu	Tyr	Phe	Thr	Leu	Gln	Ile	Arg	Gly	Arg	Glu	Arg	Phe	Glu	Met	
225					230					235					240	
Phe	Arg	Glu	Leu	Asn	Glu	Ala	Leu	Glu	Leu	Lys	Asp	Ala	Gln	Ala	Gly	
			245						250					255		
Lys	Glu	Pro	Gly	Gly	Ser	Arg	Ala	His	Ser	Ser	His	Leu	Lys	Ser	Lys	

260

265

270

Lys Gly Gln Ser Thr Ser Arg His Lys Lys Leu Met Phe Lys Thr Glu
 275 280 285

Gly Pro Asp Ser Asp
 290

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2066 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CAAAACTTAC CAGGGCAACT ATGGCTTCCA CCTGGGCTTC CTGCAGTCTG GGACAGCCAA	60
GTCTGTTATG TGCACGTACT CTCCTCCCCT CAATAAGCTA TTCTGCCAGC TGGCGAAGAC	120
GTGCCCTGTG CAGTTGTGGG TCAGCGCCAC ACCTCCAGCT GGGAGCCGTG TCCGCGCCAT	180
GGCCATCCAC AAGAAGTCAC AGCACTTGAC GGGGGTCGTG AGACGCTGCC CCCACCATGA	240
GCGCTGCTCC GATGGTGATG GCCTGGCTCC TCCCCAGCAT CTTATCCGGG TGGAAGGAAA	300
TTTGATATCCC GAGTATCTGG AAGACAGGCA GACTTTTCGC CACAGCGTGG TGGTACCTTA	360
TGAGCCACCC GAGGCCGGCT CTGAGTATAC CACCATCCAC TACAAGTACA TTTGTAATAG	420
CTCCTGCATG GGGGGCATGA ACCGCCGACC TATCCTTACC ATCATCACAC TGGAAGACTC	480
CAGTGGGAAC CTTCTGGGAC GGGACAGCTT TGAGGTTCGT GTTTGTGCCT GCCCTGGGAG	540
AGACCGCCGT ACAGAAGAAG AAAATTTCCG CAAAAAGGAA GTCCTTTGCC CTGAAGTACC	600
CCCAGGGAGC GCAAAGAGAG CGCTGCCCAC CTGCACAAGC GCCTCTCCCC CGCAAAGAA	660
AAAACCACTT GATGGAGAGT ATTTACCCCT CAAGATCCGC GGGCGTAAAC GCTTCGAGAT	720
GTTCCGGGAG CTGAATGAGG CCTTAGAGTT AAAGGATGCC CATGCTACAG AGGAGTCTGG	780
AGACAGCAGG GCTCACTCCA GCTACCTGAA GACCAAGAAG GGCCAGTCTA CTTCCCGCCA	840
TAAAAAAACA ATGGTCAAGA AAGTGGGGCC TGACTCAGAC TGACATTCTC CACTTCTTGT	900
TCCCCACTGA CAGCCTCCCA CCCCATCTC TCCCTCCCCT GCCTTTTGGG TTTTGGGTCT	960
TTGAACCCTT GCTTGCAATA GGTGTGCGTC AGAAGCACCC AGGACTTCCA TTTGCTTTGT	1020
CCCGGGGCTC CACTGAACAA GTTGGCCTGC ACTGGTGTTC TGTGTGGGG AGGAGGATGG	1080
GGAGTAGGAC ATACCAGCTT AGATTTTAAG GTTTTACTG TGAGGGATGT TTGGGAGATG	1140
TAAGAAATGT TCTTGCACTT AAGGGTTAGT TTACAATCAG CCACATTCTA GGTAGGGGCC	1200
CACTTCACCG TACTAACCAG GGAAGCTGTC CCTCACTGTT GAATTTTCTC TAACTTCAAG	1260

GCCCATATCT GTGAAATGCT GGCATTTGCA CCTACCTCAC AGAGTGCATT GTGAGGGTTA	1320
ATGAAATAAT GTACATCTGG CCTTGAAACC ACCTTTTATT ACATGGGGTC TAGATGACCC	1380
CCTTGAGGTG CTTGTTCCCT CTCCCTGTTG GTCGGTGGGT TGGTAGTTTC TACAGTTGGG	1440
CAGCTGGTTA GGTGAGGTA GTTGTGAGGT CTCTGCTGGC CCAGCGAAAT TCTATCCAGC	1500
CAGTTGTTGG ACCCTGGCAC CTCAAATGAA ATCTCACCCCT ACCCCACACC CTGTAAGATT	1560
CTATCTCTTG TATAGATGAT CTGGATCCAC CAAGACTTGT TTTAGCTCAG GGTCCAATTT	1620
CTTTTTTCTT TTTTTTTTTT TTTTCTTTT TCTTTGAGAC TGGGTCTCTT TGTGCCCCA	1680
GGCTGGAGTG GAGTGGCGTG ATCTGGCTTA CTGCAGCCTT TGCCTCCCCG GCTCGAGCAG	1740
TCCTGCCTCA GCCTCCGGAG TAGCTGGGAC CACAGGTTCA TGCCACCATG GCCAGCCAAC	1800
TTTTGCATGT TTTGTAGAGA TGGGGTCTCA CAGTGTGCCC CAGGCTGGTC TCAAATCCT	1860
GGGCTCAGGC GATCCACCTG TCTCAGCCTC CCAGAGTGCT GGGATTACAA TTGTGAGCCA	1920
CCACGTCCAG CTGGAAGGGC CTACTTTCCT TCCATTCTGC AAAGCCCTGC TGCATTTATC	1980
CACCCACCC TCCACCTGTC TCCCTCTTTT TTTCTTACCC CTTTTTATAT ATCAATTTCT	2040
TATTTTACAA TAAAATTTTG TTATCA	2066

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 293 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Lys Thr Tyr Gln Gly Asn Tyr Gly Phe His Leu Gly Phe Leu Gln Ser	
1	5 10 15
Gly Thr Ala Lys Ser Val Met Cys Thr Tyr Ser Pro Pro Leu Asn Lys	
	20 25 30
Leu Phe Cys Gln Leu Ala Lys Thr Cys Pro Val Gln Leu Trp Val Ser	
	35 40 45
Ala Thr Pro Pro Ala Gly Ser Arg Val Arg Ala Met Ala Ile His Lys	
	50 55 60
Lys Ser Gln His Met Thr Gly Val Val Arg Arg Cys Pro His His Glu	
	65 70 75 80
Arg Cys Ser Asp Gly Asp Gly Leu Ala Pro Pro Gln His Leu Ile Arg	
	85 90 95
Val Glu Gly Asn Leu Tyr Pro Glu Tyr Leu Glu Asp Arg Gln Thr Phe	
	100 105 110

Arg His Ser Val Val Val Pro Tyr Glu Pro Pro Glu Ala Gly Ser Glu
 115 120 125
 Tyr Thr Thr Ile His Tyr Lys Tyr Ile Cys Asn Ser Ser Cys Met Gly
 130 135 140
 Gly Met Asn Arg Arg Pro Ile Leu Thr Ile Ile Thr Leu Glu Asp Ser
 145 150 155 160
 Ser Gly Asn Leu Leu Gly Arg Asn Ser Phe Glu Val Arg Val Cys Ala
 165 170 175
 Cys Pro Gly Arg Asp Arg Arg Thr Glu Glu Glu Asn Phe Arg Lys Lys
 180 185 190
 Glu Val Leu Cys Pro Glu Leu Pro Pro Gly Ser Ala Lys Arg Ala Leu
 195 200 205
 Pro Thr Cys Thr Ser Ala Ser Pro Pro Gln Lys Lys Lys Pro Leu Asp
 210 215 220
 Gly Glu Tyr Phe Thr Leu Lys Ile Arg Gly Arg Leu Arg Phe Glu Met
 225 230 235 240
 Phe Arg Glu Leu Asn Glu Ala Leu Glu Leu Lys Asp Ala His Ala Thr
 245 250 255
 Glu Glu Ser Gly Asp Ser Arg Ala His Ser Ser Tyr Leu Lys Ser Lys
 260 265 270
 Lys Gly Gln Ser Thr Ser Arg His Lys Lys Thr Met Val Lys Lys Val
 275 280 285
 Gly Pro Asp Ser Asp
 290

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ACTGCCCAAC AACACCA

17

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

GCCACGCCCA CACATTT

17

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

GCCTGTCCTG GGAGAGACCG

20

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

CCCTTAAGCC ACGCCCACAC

20

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

CACTGCCCAA CAACACCA

18

(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

GCCACGCCCA CACATTT

17

(2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

GGTGCATTGG AACGCGGATT

20

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

GGGGACAGAA CGTTGTTTTC

20

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

ACGGATTTGG TCGTATTGGG

20

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

TGATTTTGGG GGGATCTCGC

20